



ORLEANS STEEL

BUILDING MATERIAL

1641 POLAND AVENUE
NEW ORLEANS, LA 70117
WWW.ORLEANSSTEEL.COM
504.381.5790

CATALOG



GATES

Gate Type 1

Size : 46" H x 42.5" W
Door Frame : 1 1/2" sq, 11GA
Cross Bar : 1 1/2*3/4in, 18GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Material : Galvanized material, the
powder coated black color
Cap : 9

Gate Type 2

Size : 70" H x 42.5" W
Door Frame : 1 1/2" sq, 11GA
Cross Bar : 1 1/2*3/4in, 18GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Material : Galvanized material, the
powder coated black color
Cap : 9

Gate Type 3


Size : 82" H x 42.5" W
Door Frame : 1 1/2" sq, 11GA
Cross Bar : 1 1/2*3/4in, 18GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Material : Galvanized material, the
powder coated black color
Cap : 9



GATES

Gate Type 4

- Size : 70" H x 66.5" W
- Door Frame : 1 1/2" sq, 11GA
- Cross Bar : 1 1/2*3/4in, 18GA
- Vertical Bar : 3/4" sq, 16GA; Gap 4in
- Material : Galvanized material, the powder coated black color
- Cap : 16



Gate Type 5 (Pair)

- Size : 70" H(lowest), 82" H(highest) x 60" W (per panel)
- Door Frame : 1 1/2" sq, 11GA
- Cross Bar : 1 1/2*3/4in, 18GA
- Vertical Bar : 3/4" sq, 16GA; Gap 4in
- Material : Galvanized material, the powder coated black color
- Cap : 14/28



FENCE

Fence Type 1

Size : 46" H x 91.5" W
Cross Bar : 1 1/2*3/4in, 18GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Material : Galvanized material, the powder coated black color
Cap : 23

Fence Type 2


Size : 70" H x 91.5" W
Cross Bar : 1 1/2*3/4in, 18GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Material : Galvanized material, the powder coated black color
Cap : 23

Fence Type 3

Size : 70" H x 90" W
Cross Bar : 1 1/2*3/4in, 18GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Material : Galvanized material, the powder coated black color
Cap : 23

Fence Type 4

Size : 90" H x 90" W
Cross Bar : 1 1/2*3/4in, 18GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Material : Galvanized material, the powder coated black color
Cap : 23



FENCE - PRESSED POINT - 1"

Fence Type 5

Size : 45" H x 90" W
Cross Bar : 1 1/2" sq, 16GA
Vertical Bar : 3/4" sq, 18GA; Gap 4in
Top : 6"height
Material : Galvanized material, the powder coated black color



Fence Type 6

Size : 58" H x 90" W
Cross Bar : 1 1/2" sq, 16GA
Vertical Bar : 3/4" sq, 18GA; Gap 4in
Top : 6"height
Material : Galvanized material, the powder coated black color




Fence Type 7

Size : 70" H x 93" W
Cross Bar : 1 1/2" sq, 16GA
Vertical Bar : 3/4" sq, 18GA; Gap 4in
Top : 6"height
Material : Galvanized material, the powder coated black color



Fence Type 8

Size : 93" H x 93" W
Cross Bar : 1 1/2" sq, 16GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Top : 8"height
Material : Galvanized material, the powder coated black color
Double Rail



FENCE - PRESSED POINT - 2"

Fence Type 9


- Size : 93" H x 93" W
- Cross Bar : 2" sq, 16GA
- Vertical Bar : 1" sq, 14GA; Gap 4in
- Top : 8"height
- Material : Galvanized material, the powder coated black color



FENCE - SECURITY ARCH SPIKE

Fence Type 10

- Size : 70" H x 94" W
- Cross Bar : 1 1/2" sq, 14GA
- Vertical Bar : 3/4" sq, 16GA; Gap 4in
- Material : Galvanized material, the powder coated black color



Fence Type 11

- Size : 93" H x 93" W
- Cross Bar : 2" sq, 16GA
- Vertical Bar : 1" sq, 14GA; Gap 4in
- Material : Galvanized material, the powder coated black color

FENCE - HAND RAIL

Fence Type 12


- Size : 34" H x 90" W
- Cross Bar : 1 1/2" sq, 16GA
- Vertical Bar : 3/4" sq, 18GA; Gap 4in
- Material : Galvanized material, the powder coated black color

Fence Type 13

- Size : 45" H x 90" W
- Cross Bar : 1 1/2" sq, 16GA
- Vertical Bar : 3/4" sq, 18GA; Gap 4in
- Material : Galvanized material, the powder coated black color

Fence Type 14

- Size : 58" H x 90" W
- Cross Bar : 1 1/2" sq, 16GA
- Vertical Bar : 3/4" sq, 18GA; Gap 4in
- Material : Galvanized material, the powder coated black color



FENCE - HAND RAIL WITH KNUCKLE

Fence Type 15


- Size : 34" H x 90" W
- Cross Bar : 1 1/2" sq, 16GA
- Vertical Bar : 3/4" sq, 18GA; Gap 4in
- Material : Galvanized material, the powder coated black color

Fence Type 16

- Size : 45" H x 90" W
- Cross Bar : 1 1/2" sq, 16GA
- Vertical Bar : 3/4" sq, 18GA; Gap 4in
- Material : Galvanized material, the powder coated black color

Fence Type 17

- Size : 58" H x 90" W
- Cross Bar : 1 1/2" sq, 16GA
- Vertical Bar : 3/4" sq, 18GA; Gap 4in
- Material : Galvanized material, the powder coated black color



FENCE - ADJUSTABLE HAND RAIL

Fence Type 18


Size : 45" H x 90" W
Cross Bar : 1 1/2" sq, 16GA
Vertical Bar : 3/4" sq, 18GA; Gap 4in
Material : Galvanized material, the
powder coated black color

Fence Type 19

Size : 58" H x 90" W
Cross Bar : 1 1/2" sq, 16GA
Vertical Bar : 3/4" sq, 18GA; Gap 4in
Material : Galvanized material, the
powder coated black color

Fence Type 20


Size : 70" H x 94" W
Cross Bar : 1 1/2" sq, 16GA
Vertical Bar : 3/4" sq, 18GA; Gap 4in
Material : Galvanized material, the
powder coated black color



FENCE - HORIZONTAL


Fence Type 21

Size : 70" H x 93" W
Cross Bar : 4"H
Gap : 3/4"H
Material : Galvanized material, the
powder coated black color



Fence Type 22

Size : 70" H x 93" W
Cross Bar : 4"H
Gap : 3/4"H
Material : Galvanized material, the
powder coated brown color



FENCE POST

Fence Post - 11Ga



2x2x72	3x3x72	4x4x192
2x2x96	3x3x96	4x4x236
2x2x192	3x3x192	
2x2x236	3x3x236	

Fence Post - 14Ga - W/ Cap & Base



2.5 x 2.5 x 62
2.5 x 2.5 x 74
2.5 x 2.5 x 96

Fence Post - 14Ga - W/ Cap



2.5 x 2.5 x 62
2.5 x 2.5 x 84
2.5 x 2.5 x 96

Fence Post - 16Ga - W/ Cap & Base



2 x 2 x 38
2 x 2 x 49

Fence Post - 16Ga - W/ Cap




2 x 2 x 72

ACCESSORIES - FINIALS

Finial
Fleur de Lis



Post
Cap



- 2x2
- 3x3
- 4x4

Finial
Triad



Post
Insert



- 3/4x3/4
- 2x2
- 3x3
- 4x4

Finial
Quad



Post
Ball Cap



- 3/4x3/4
- 2x2
- 3x3
- 4x4

Finial
Ball Quad



SM - Solid - Privacy
59" x 94"
Galvanized Black



SM - Screen - Privacy
59" x 94"
Galvanized Black



ACCESSORIES

Fence Bracket
w/ Screw



Tube Fence Bracket - 11Ga



Post Plate - 6 Ga




Sizes
4x4
5x5
6x6

Gate Latch



Gate Lock
Combination



Gate Latch-360



Heavy Duty
Gate Hinge - 6"



Heavy Duty
Gate Wheel - 4"



Wedge Hinge



Cane Bolt



Colors
Black
Stainless Steel


L-Bracket
2x2 14Ga



TEMPORARY FENCING




Fence Panel - 6'H x 12'W



Fence Stand



Fence Bracket



Privacy Screen 6'H x 50'W

*See store for rental details.

ANCHORS

Wedge Anchor Bolt
1/2-13 x 5 1/2"
Stainless Steel / Zinc



3/4 x 5 1/2"
Zinc



3/8 x 3"
Zinc

Mobile Home
Size: 5/8" x 30" W/ nut



Asphalt
Size: 5/8" x 30" W/ 1 bolt, 1 nut, 2 washers




Rebar
Size: 30" x .5"Dia




R-PANELS

R-Panel roofing is a metal roof made of 36” metal panels that have raised ribs with a flat area between the ribs. R-Panel is used in both residential and commercial applications and can also be used as siding.

Low Profile



High Profile



Galvalume
26Ga
24Ga
H. Profile
L. Profile



Polar White
26Ga
H. Profile
L. Profile



Evergreen
26Ga
H. Profile
L. Profile



Black
26Ga
H. Profile
L. Profile



Hawaiian Blue
26Ga
H. Profile
L. Profile



Old Town Gray
26Ga
H. Profile
L. Profile



Rustic Red
26Ga
H. Profile
L. Profile

* Prices may vary. See store for details. Prices based per linear foot.

TRIM

Available Colors:




Galvalume



Black



Old Town
Gray



Rustic Red



Polar
White




Hawaiian
Blue




Evergreen


Corner - Inside




Corner - Outside




J Flashing




Long Drip Edge




Gable / Rake



RidgeCap




Valley



* Pricing is based per 10' section.

SCREWS




Galvalume



Black



Old Town
Gray



Rustic



Polar
White



Hawaiian
Blue



Evergreen

Hex Self Drilling Screw - 1/4 - 14* 7/8



Galvalume	250pc
Hawaiian Blue	250pc
Rustic Red	250pc
Polar White	250pc
Old Town Gray	250pc
Black	250pc
Evergreen	250pc

Hex Self Drilling Screw - #12-14* 1-1/4



Galvalume	250pc
Hawaiian Blue	250pc
Rustic Red	250pc
Polar White	250pc
Old Town Gray	250pc
Black	250pc
Evergreen	250pc

Hex Washer Head - #12-14* 3/4
w/ 14mm washer



Galvalume	250pc
-----------	-------

Hex Washer Head - #12-14* 3/4
w/o washer



Horn Head Self Drilling Screw - #6-20* 1-1/4



Rnd Head Self Drilling Screw - #8-18* 1/2



Hex Self Drilling Screw - #12-24* 1-1/4



Hawaiian Blue	450pc
---------------	-------

Hex Self Drilling Screw - #10-16* 3/4



SILICONE & CAULKING TAPE

Silicone-10.1oz



Caulking Tape - 3/8 x 3/32 x 45'



FOAM CLOSURES

R-Panel Inside / Outside High Profile



R-Panel Inside / Outside Low Profile



A foam closure is a dense foam strip used to seal the joints between metal panels on a roof. They are typically 1 inch thick and 1–2 inches wide, and are cut to match the length of the metal panel.

WELDING GLUE

Epoxy Adhesive

1.67oz



Casting Rubber
Part A

17.6oz
Part B



Epoxy adhesive is a structural adhesive that's made from a mixture of resin and hardener that creates a strong, durable bond.

DOORS / WINDOW / ACCESSORIES



36W x 80H Door



36W x 80H Door w/ diamond window



Walk-in door lock
Can not be sold separate.



24 x 36 Grid Window

ROLL DOOR



9W x 8H	W/ Door Kit
10W x 8H	W/ Door Kit
10W x 10H	W/ Door Kit
12W x 12H	W/ Chain Hoist

STRUCTURAL STUDS & TRACKS



362S162-33	3 5/8" Stud	20G
362S162-43	3 5/8" Stud	18G
362S162-54	3 5/8" Stud	16G
362S162-68	3 5/8" Stud	14G
362S162-97	3 5/8" Stud	12G

362T200-33	3 5/8" Track 10 FT	20G
362T200-43	3 5/8" Track 10 FT	18G
362T200-54	3 5/8" Track 10 FT	16G
362T200-68	3 5/8" Track 10 FT	14G
362T200-97	3 5/8" Track 10 FT	12G

600S162-33	6" Stud	20G
600S162-43	6" Stud	18G
600S162-54	6" Stud	16G
600S162-68	6" Stud	14G
600S162-97	6" Stud	12G

600T200-33	6" Track 10 FT	20G
600T200-43	6" Track 10 FT	18G
600T200-54	6" Track 10 FT	16G
600T200-68	6" Track 10 FT	14G
600T200-97	6" Track 10 FT	12G

800S162-33	8" Stud	20G
800S162-43	8" Stud	18G
800S162-54	8" Stud	16G
800S162-68	8" Stud	14G
800S162-97	8" Stud	12G

800T200-33	8" Track 10 FT	20G
800T200-43	8" Track 10 FT	18G
800T200-54	8" Track 10 FT	16G
800T200-68	8" Track 10 FT	14G
800T200-97	8" Track 10 FT	12G

1000S162-43	10" Stud	18G
1000S162-54	10" Stud	16G
1000S162-68	10" Stud	14G
1000S162-97	10" Stud	12G

1000T200-43	10" Track 10 FT	18G
1000T200-54	10" Track 10 FT	16G
1000T200-68	10" Track 10 FT	14G
1000T200-97	10" Track 10 FT	12G

1200S162-54	12" Stud	16G
1200S162-68	12" Stud	14G
1200S162-97	12" Stud	12G

1200T200-54	12" Track 10 FT	16G
1200T200-68	12" Track 10 FT	14G
1200T200-97	12" Track 10 FT	12G

* Prices may vary. See store for details.
Prices based per linear foot.

* Prices may vary. See store for details.
Prices based per piece.

NON-STRUCTURAL STUDS & TRACKS



162S125-18	1 5/8" Stud	25G
162S125-27	1 5/8" Stud	22G
162S125-30	1 5/8" Stud	20G

250S125-18	2 1/2" Stud	25G
250S125-27	2 1/2" Stud	22G
250S125-30	2 1/2" Stud	20G

362S125-18	3 5/8" Stud	25G
362S125-27	3 5/8" Stud	22G
362S125-30	3 5/8" Stud	20G

600S125-18	6" Stud	25G
600S125-27	6" Stud	22G
600S125-30	6" Stud	20G

162T125-18	1 5/8" Track 10 FT	25G
162T125-27	1 5/8" Track 10 FT	22G
162T125-30	1 5/8" Track 10 FT	20G

250T125-18	2 1/2" Track 10 FT	25G
250T125-27	2 1/2" Track 10 FT	22G
250T125-30	2 1/2" Track 10 FT	20G


362T125-18	3 5/8" Track 10 FT	25G
362T125-27	3 5/8" Track 10 FT	22G
362T125-30	3 5/8" Track 10 FT	20G

600T125-18	6" Track 10 FT	25G
600T125-27	6" Track 10 FT	22G
600T125-30	6" Track 10 FT	20G

* Prices may vary. See store for details.
Prices based per linear foot.


* Prices may vary. See store for details.
Prices based per piece.

CHANNELS



Hat Channel
1 1/2 x 21' 18Ga

7/8 x 21' 18Ga



Cee Channel - 10'
1.5" x .5" 16G

Cee Channel - 16'
1.5" x .5" 16G

RAW METAL



Sheet Metal - 48" x 96"

1/8

3/16

Gavanized Sheet Metal
16Ga



Diamond Plate

1/4



Angle Iron - 20'

1/8 1 x 1

1/8 1.5 x 1.5

1/8 2 x 2

1/4 1.5 x 1.5

1/4 2 x 2

1/4 3 x 3

3/8 4 x 4



Square Bar - Solid - 20'

.5 x .5



Flat Bar - Solid - 20'

1 x .25

GALVANIZED METAL



11Ga Galvanized tubing - 20'

5/8 x 5/8

3/4 x 3/4

1 x 1

1.25 x 1.25

2 x 2

3 x 3

4 x 4

14Ga Galvanized tubing - 20'

1.5 x 1.5

2 x 2

2 1/4 x 2 1/4

2 1/2 x 2 1/2

3 x 3

16Ga Galvanized tubing - 20'

.5 x .5

1/4 Galvanized tubing - 20'

4 x 4

COATINGS



Rust Transform Paint

44 lbs

- * Transforms, converts and replaces existing rust with a dark protective barrier. Prevents future corrosion.
- * Forms a durable protective barrier. Locks out moisture from rain and snow. Protects iron and metal surfaces.
- * Non-toxic and fumeless. Paintable when fully cured.
- * Easy application with roller, brush or airless sprayer.
- * Covers 2000 sq ft



Flexible Slurry

44 lbs

- * Forms a continuous barrier with exceptional adhesion and reduces crack transmission for all surfaces.
- * Can be applied on Concrete, Wood, Stone, Tiles, Metal Aluminum, Interior/Exterior Cladding, and ICF Blocks
- * For interior, exterior, fully submerged in water and below grade applications.
- * Easy application with roller, brush or airless sprayer.
- * Covers 290 sq ft - double coat recommended.



Thermal Insulation

44 lbs

- * Thermal insulating coating is a liquid suitable for application to a surface, that dries or cures to simultaneously form a protective finish and provide resistance to heat flow.
- * Retains heat over twice as long as ordinary emulsion paint.
- * An airless sprayer is the best method for application of the coating.
- * Covers 430 sq ft