



ORLEANS STEEL
BUILDING MATERIAL

CATALOG

v3.18



504.381.5790



INFO@ORLEANSSTEEL.COM



WWW.ORLEANSSTEEL.COM

1641 POLAND AVENUE, NEW ORLEANS, LA 70117



ORLEANS STEEL
BUILDING MATERIAL

GATES

Pedestrian Gate


Size : 46" H x 42.5" W
Door Frame : 1 1/2" sq, 11GA
Cross Bar : 1 1/2*3/4in, 18GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Material : Galvanized material, the
powder coated black color
Cap : 9

Pedestrian Gate

Size : 70" H x 42.5" W
Door Frame : 1 1/2" sq, 11GA
Cross Bar : 1 1/2*3/4in, 18GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Material : Galvanized material, the
powder coated black color
Cap : 9

Pedestrian Gate

Size : 82" H x 42.5" W
Door Frame : 1 1/2" sq, 11GA
Cross Bar : 1 1/2*3/4in, 18GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Material : Galvanized material, the
powder coated black color
Cap : 9



CALL NOW: 504.381.5790

YOUR CUSTOM METAL BUILDING PARTNER.




ORLEANS STEEL
BUILDING MATERIAL

GATES

Swing Gate

Size : 70" H x 66.5" W
Door Frame : 1 1/2" sq, 11GA
Cross Bar : 1 1/2*3/4in, 18GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Material : Galvanized material, the
powder coated black color
Cap : 16



Driveway Gate (Pair)

Size : 70" H(lowest), 82"
H(highest) x 60" W (per
panel)
Door Frame : 1 1/2" sq, 11GA
Cross Bar : 1 1/2*3/4in, 18GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Material : Galvanized material, the
powder coated black color
Cap : 14/28



CALL NOW: 504.381.5790

YOUR CUSTOM METAL BUILDING PARTNER.



ORLEANS STEEL
BUILDING MATERIAL

GATES - FLAT TOP

Flat Top

Size : 40" W x 4'H
Door Frame : 1 1/2" sq, 11GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Material : Galvanized material, the
powder coated black color

Flat Top


Size : 40" W x 5'H
Door Frame : 1 1/2" sq, 11GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Material : Galvanized material, the
powder coated black color

Flat Top

Size : 40" W x 6'H
Door Frame : 1 1/2" sq, 11GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Material : Galvanized material, the
powder coated black color

Flat Top

Size : 40" W x 8'H
Door Frame : 1 1/2" sq, 11GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Material : Galvanized material, the
powder coated black color



CALL NOW: 504.381.5790

YOUR CUSTOM METAL BUILDING PARTNER.



ORLEANS STEEL
BUILDING MATERIAL

GATES - FLAT TOP W/ KNUCKLE

Flat Top w/ Knuckle


Size : 40" W x 4'H
Door Frame : 1 1/2" sq, 11GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Material : Galvanized material, the
powder coated black color

Flat Top w/ Knuckle

Size : 40" W x 5'H
Door Frame : 1 1/2" sq, 11GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Material : Galvanized material, the
powder coated black color

Flat Top w/ Knuckle

Size : 40" W x 6'H
Door Frame : 1 1/2" sq, 11GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Material : Galvanized material, the
powder coated black color



CALL NOW: 504.381.5790

YOUR CUSTOM METAL BUILDING PARTNER.



ORLEANS STEEL
BUILDING MATERIAL

GATES – PRESSED POINT

Pressed

Size : 40" W x 4'H
Door Frame : 1 1/2" sq, 11GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Material : Galvanized material, the
powder coated black color

Pressed


Size : 40" W x 5'H
Door Frame : 1 1/2" sq, 11GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Material : Galvanized material, the
powder coated black color

Pressed

Size : 40" W x 6'H
Door Frame : 1 1/2" sq, 11GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Material : Galvanized material, the
powder coated black color

Pressed

Size : 40" W x 8'H
Door Frame : 1 1/2" sq, 11GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Material : Galvanized material, the
powder coated black color



CALL NOW: 504.381.5790

YOUR CUSTOM METAL BUILDING PARTNER.



ORLEANS STEEL
BUILDING MATERIAL

GATES - SECURITY ARCH

Security

Size : 40" W x 6'H
Door Frame : 1 1/2" sq, 11GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Material : Galvanized material, the
powder coated black color

Security

Size : 40" W x 8'H
Door Frame : 1 1/2" sq, 11GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Material : Galvanized material, the
powder coated black color



CALL NOW: 504.381.5790

YOUR CUSTOM METAL BUILDING PARTNER.



ORLEANS STEEL
BUILDING MATERIAL

GATES - HORIZONTAL

Horizontal E

Size : 40" W x 4'H
Door Frame : 1 1/2" sq, 11GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Material : Galvanized material, the
powder coated black color



Horizontal E3

Size : 40" W x 5'H
Door Frame : 1 1/2" sq, 11GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Material : Galvanized material, the
powder coated black color

Horizontal E

Size : 40" W x 6'H
Door Frame : 1 1/2" sq, 11GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Material : Galvanized material, the
powder coated brown color

Horizontal E3

Size : 40" W x 8'H
Door Frame : 1 1/2" sq, 11GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Material : Galvanized material, the
powder coated brown color



CALL NOW: 504.381.5790

YOUR CUSTOM METAL BUILDING PARTNER.



ORLEANS STEEL
BUILDING MATERIAL

FENCE – SQUARE TOP

Square Top

Size : 46" H x 91.5" W
Cross Bar : 1 1/2*3/4in, 18GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Material : Galvanized material, the
powder coated black color
Cap : 23

Square Top


Size : 70" H x 91.5" W
Cross Bar : 1 1/2*3/4in, 18GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Material : Galvanized material, the
powder coated black color
Cap : 23

Square Top

Size : 70" H x 90" W
Cross Bar : 1 1/2*3/4in, 18GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Material : Galvanized material, the
powder coated black color
Cap : 23

Square Top

Size : 90" H x 90" W
Cross Bar : 1 1/2*3/4in, 18GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Material : Galvanized material, the
powder coated black color
Cap : 23



CALL NOW: 504.381.5790

YOUR CUSTOM METAL BUILDING PARTNER.



ORLEANS STEEL
BUILDING MATERIAL

FENCE – PRESSED POINT – 1"

Pressed Point 1"

Size : 45" H x 90" W
Cross Bar : 1 1/2" sq, 16GA
Vertical Bar : 3/4" sq, 18GA; Gap 4in
Top : 6"height
Material : Galvanized material, the
powder coated black color



Pressed Point 1"

Size : 58" H x 90" W
Cross Bar : 1 1/2" sq, 16GA
Vertical Bar : 3/4" sq, 18GA; Gap 4in
Top : 6"height
Material : Galvanized material, the
powder coated black color




Pressed Point 1"

Size : 70" H x 93" W
Cross Bar : 1 1/2" sq, 16GA
Vertical Bar : 3/4" sq, 18GA; Gap 4in
Top : 6"height
Material : Galvanized material, the
powder coated black color



Pressed Point 1"

Size : 93" H x 93" W
Cross Bar : 1 1/2" sq, 16GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Top : 8"height
Material : Galvanized material, the
powder coated black color
Double Rail



CALL NOW: 504.381.5790

YOUR CUSTOM METAL BUILDING PARTNER.



ORLEANS STEEL
BUILDING MATERIAL

FENCE - PRESSED POINT - 2"

Pressed Point 2"

Size : 93" H x 93" W
Cross Bar : 2" sq, 16GA
Vertical Bar : 1" sq, 14GA; Gap 4in
Top : 8"height
Material : Galvanized material, the
powder coated black color



CALL NOW: 504.381.5790

YOUR CUSTOM METAL BUILDING PARTNER.




ORLEANS STEEL
BUILDING MATERIAL

FENCE – SECURITY ARCH SPIKE

Security Arch

Size : 70" H x 94" W
Cross Bar : 1 1/2" sq, 14GA
Vertical Bar : 3/4" sq, 16GA; Gap 4in
Material : Galvanized material, the
powder coated black color



Security Arch

Size : 93" H x 93" W
Cross Bar : 2" sq, 16GA
Vertical Bar : 1" sq, 14GA; Gap 4in
Material : Galvanized material, the
powder coated black color

CALL NOW: 504.381.5790

YOUR CUSTOM METAL BUILDING PARTNER.



ORLEANS STEEL
BUILDING MATERIAL


FENCE - HAND RAIL

Hand Rail

Size : 34" H x 90" W
Cross Bar : 1 1/2" sq, 16GA
Vertical Bar : 3/4" sq, 18GA; Gap 4in
Material : Galvanized material, the
powder coated black color

Hand Rail

Size : 45" H x 90" W
Cross Bar : 1 1/2" sq, 16GA
Vertical Bar : 3/4" sq, 18GA; Gap 4in
Material : Galvanized material, the
powder coated black color



Hand Rail

Size : 58" H x 90" W
Cross Bar : 1 1/2" sq, 16GA
Vertical Bar : 3/4" sq, 18GA; Gap 4in
Material : Galvanized material, the
powder coated black color

Hand Rail

Size : 70" H x 94" W
Cross Bar : 1 1/2" sq, 16GA
Vertical Bar : 3/4" sq, 18GA; Gap 4in
Material : Galvanized material, the
powder coated black color

Hand Rail

Size : 93" H x 93" W
Cross Bar : 1 1/2" sq, 16GA
Vertical Bar : 3/4" sq, 18GA; Gap 4in
Material : Galvanized material, the
powder coated black color

CALL NOW: 504.381.5790

YOUR CUSTOM METAL BUILDING PARTNER.



FENCE - HAND RAIL WITH KNUCKLE

ORLEANS STEEL
BUILDING MATERIAL

Hand Rail w/ Knuckle


Size : 34" H x 90" W
Cross Bar : 1 1/2" sq, 16GA
Vertical Bar : 3/4" sq, 18GA; Gap 4in
Material : Galvanized material, the
powder coated black color

Hand Rail w/ Knuckle

Size : 45" H x 90" W
Cross Bar : 1 1/2" sq, 16GA
Vertical Bar : 3/4" sq, 18GA; Gap 4in
Material : Galvanized material, the
powder coated black color

Hand Rail w/ Knuckle

Size : 58" H x 90" W
Cross Bar : 1 1/2" sq, 16GA
Vertical Bar : 3/4" sq, 18GA; Gap 4in
Material : Galvanized material, the
powder coated black color



CALL NOW: 504.381.5790

YOUR CUSTOM METAL BUILDING PARTNER.



ORLEANS STEEL
BUILDING MATERIAL

FENCE – ADJUSTABLE HAND RAIL

Adjustable Hand Rail


Size : 45" H x 90" W
Cross Bar : 1 1/2" sq, 16GA
Vertical Bar : 3/4" sq, 18GA; Gap 4in
Material : Galvanized material, the
powder coated black color

Adjustable Hand Rail

Size : 58" H x 90" W
Cross Bar : 1 1/2" sq, 16GA
Vertical Bar : 3/4" sq, 18GA; Gap 4in
Material : Galvanized material, the
powder coated black color

Adjustable Hand Rail

Size : 70" H x 94" W
Cross Bar : 1 1/2" sq, 16GA
Vertical Bar : 3/4" sq, 18GA; Gap 4in
Material : Galvanized material, the
powder coated black color



CALL NOW: 504.381.5790

YOUR CUSTOM METAL BUILDING PARTNER.




ORLEANS STEEL
BUILDING MATERIAL

FENCE - HORIZONTAL


Horizontal - Black

Size : 70" H x 93" W
Cross Bar : 4"H
Gap : 3/4"H
Material : Galvanized material, the
powder coated black color



Horizontal - Brown

Size : 70" H x 93" W
Cross Bar : 4"H
Gap : 3/4"H
Material : Galvanized material, the
powder coated brown color



CALL NOW: 504.381.5790

YOUR CUSTOM METAL BUILDING PARTNER.



ORLEANS STEEL
BUILDING MATERIAL

FENCE – CHAINLINK

Chainlink 4

Size : 4'H x 50'W
Gauge : 11Ga - Galvanized

Chainlink 6

Size : 6'H x 50'W
Gauge : 11Ga - Galvanized

Chainlink 8

Size : 8'H x 50'W
Gauge : 11Ga - Galvanized



Dome Post Cap



Loop Cap - Rail Eye Top



End Rail Cup



Brace Band



Tension Band



CALL NOW: 504.381.5790

YOUR CUSTOM METAL BUILDING PARTNER.



ORLEANS STEEL
BUILDING MATERIAL

FENCE POST

Fence Post - 11Ga



2x2x72
2x2x96
2x2x192
2x2x236

3x3x72
3x3x96
3x3x192
3x3x236

4x4x192
4x4x236

Fence Post - 14Ga - W/ Cap & Base



2.5 x 2.5 x 74

2.5 x 2.5 x 62

3 x 3 x 74
Brown Post

Fence Post - 14Ga - W/ Cap



2.5 x 2.5 x 96

2.5 x 2.5 x 84

2.5 x 2.5 x 62

3 x 3 x 96
Brown Post

Fence Post - 16Ga - W/ Cap & Base



2 x 2 x 96

2 x 2 x 49

Fence Post - 16Ga - W/ Cap



2.5 x 2.5 x 74

CALL NOW: 504.381.5790

YOUR CUSTOM METAL BUILDING PARTNER.



ORLEANS STEEL
BUILDING MATERIAL

ACCESSORIES - FINIALS

Finial
Fleur de Lis



Finial
Triad



Finial
Quad




Finial
Ball Quad



SM - Solid - Privacy
59" x 94"
Galvanized Black




Post
Cap



Sizes

2x2
3x3
4x4

Post
Plastic Insert



3/4x3/4
2x2
3x3
4x4

Post
Ball Cap



3/4x3/4
2x2
3x3
4x4

SM - Screen - Privacy
59" x 94"
Galvanized Black



CALL NOW: 504.381.5790

YOUR CUSTOM METAL BUILDING PARTNER.

Gate Latch



Gate Latch-360



Gate Lock
Combination



Gate Latch - Viper Gravity Key Alike



CALL NOW: 504.381.5790

YOUR CUSTOM METAL BUILDING PARTNER.



ORLEANS STEEL
BUILDING MATERIAL

ACCESSORIES

Fence Bracket
w/ Screw



Tube Fence Bracket - 11Ga



Post Plate - 6 Ga



Sizes
4x4
5x5
6x6

Heavy Duty
Gate Hinge - 6"



Heavy Duty
Spring Hinge - 5"



Wedge Hinge



Cane Bolt



L-Bracket
2x2 14Ga



Heavy Duty
Gate Wheel - 4"



CALL NOW: 504.381.5790


YOUR CUSTOM METAL BUILDING PARTNER.



ORLEANS STEEL
BUILDING MATERIAL

TEMPORARY FENCING

*See store for rental details.




Fence Panel - 6'H x 12'W



Fence Stand



Fence Bracket



Privacy Screen 6'H x 50'W

CALL NOW: 504.381.5790

YOUR CUSTOM METAL BUILDING PARTNER.



ORLEANS STEEL
BUILDING MATERIAL

ANCHORS

Wedge Anchor Bolt
1/2-13 x 5 1/2"
Stainless Steel / Zinc



3/4 x 5 1/2"
Zinc



3/8 x 3"
Zinc

Mobile Home

Size: 5/8" x 30" W/ nut



Asphalt

Size: 5/8" x 30" W/ 1 bolt, 1 nut, 2 washers



Rebar

Size: 30" x .5"Dia



CALL NOW: 504.381.5790


YOUR CUSTOM METAL BUILDING PARTNER.



ORLEANS STEEL
BUILDING MATERIAL

R-PANELS

R-Panel roofing is a metal roof made of 36" metal panels that have raised ribs with a flat area between the ribs. R-Panel is used in both residential and commercial applications and can also be used as siding.



	Galvalume 26Ga 24Ga H. Profile L. Profile		Polar White 26Ga H. Profile L. Profile		Evergreen 26Ga H. Profile L. Profile
	Black 26Ga H. Profile L. Profile		Hawaiian Blue 26Ga H. Profile L. Profile		
	Old Town Gray 26Ga H. Profile L. Profile		Rustic Red 26Ga H. Profile L. Profile		

* Prices may vary. See store for details. Prices based per linear foot.

CALL NOW: 504.381.5790

YOUR CUSTOM METAL BUILDING PARTNER.



ORLEANS STEEL
BUILDING MATERIAL

TRIM

Available Colors:



Galvalume



Black



Old Town
Gray



Rustic Red



Polar
White




Hawaiian
Blue




Evergreen


Corner - Inside




Corner - Outside




J Flashing




Long Drip Edge




Gable / Rake



RidgeCap



Valley



* Pricing is based per 10' section.

CALL NOW: 504.381.5790

YOUR CUSTOM METAL BUILDING PARTNER.



ORLEANS STEEL
BUILDING MATERIAL

SCREWS



Galvalume

Black

Old Town
Gray

Rustic

Polar
White

Hawaiian
Blue

Evergreen

Hex Self Drilling Screw - 1/4 - 14* 7/8



Galvalume	250pc
Hawaiian Blue	250pc
Rustic Red	250pc
Polar White	250pc
Old Town Gray	250pc
Black	250pc
Evergreen	250pc

Hex Self Drilling Screw - #12-14* 1-1/4



Galvalume	250pc
Hawaiian Blue	250pc
Rustic Red	250pc
Polar White	250pc
Old Town Gray	250pc
Black	250pc
Evergreen	250pc

Hex Washer Head - #12-14* 3/4

w/ 14mm washer

Galvalume

250pc



Hex Washer Head - #12-14* 3/4

w/o washer

600pc



Horn Head Self Drilling Screw - #6-20* 1-1/4

700pc



Rnd Head Self Drilling Screw - #8-18* 1/2

1200pc



Hex Self Drilling Screw - #12-24* 1-1/4

Hawaiian Blue

450pc



Hex Self Drilling Screw - #10-16* 3/4

600pc



CALL NOW: 504.381.5790

YOUR CUSTOM METAL BUILDING PARTNER.

Silicone-10.1oz



Caulking Tape - 3/8 x 3/32 x 45'



R-Panel Inside / Outside High Profile



R-Panel Inside / Outside Low Profile



A foam closure is a dense foam strip used to seal the joints between metal panels on a roof. They are typically 1 inch thick and 1-2 inches wide, and are cut to match the length of the metal panel.

Epoxy Adhesive

1.67oz



Casting Rubber
Part A

17.6oz
Part B



Epoxy adhesive is a structural adhesive that's made from a mixture of resin and hardener that creates a strong, durable bond.

CALL NOW: 504.381.5790

YOUR CUSTOM METAL BUILDING PARTNER.



ORLEANS STEEL
BUILDING MATERIAL

DOORS, WINDOWS & ACCESSORIES



36W x 80H Door



36W x 80H Door w/ diamond window



Walk-in door lock
Can not be sold separate.



24 x 36 Grid Window

CALL NOW: 504.381.5790

YOUR CUSTOM METAL BUILDING PARTNER.



ORLEANS STEEL
BUILDING MATERIAL

ROLL DOOR



9W x 8H	W/ Door Kit
10W x 8H	W/ Door Kit
10W x 10H	W/ Door Kit
12W x 12H	W/ Chain Hoist



CALL NOW: 504.381.5790

YOUR CUSTOM METAL BUILDING PARTNER.



ORLEANS STEEL
BUILDING MATERIAL

STRUCTURAL STUDS & TRACKS



362S162-33	3 5/8" Stud	20G
362S162-43	3 5/8" Stud	18G
362S162-54	3 5/8" Stud	16G
362S162-68	3 5/8" Stud	14G
362S162-97	3 5/8" Stud	12G

600S162-33	6" Stud	20G
600S162-43	6" Stud	18G
600S162-54	6" Stud	16G
600S162-68	6" Stud	14G
600S162-97	6" Stud	12G

800S162-33	8" Stud	20G
800S162-43	8" Stud	18G
800S162-54	8" Stud	16G
800S162-68	8" Stud	14G
800S162-97	8" Stud	12G

1000S162-43	10" Stud	18G
1000S162-54	10" Stud	16G
1000S162-68	10" Stud	14G
1000S162-97	10" Stud	12G

1200S162-54	12" Stud	16G
1200S162-68	12" Stud	14G
1200S162-97	12" Stud	12G

362T200-33	3 5/8" Track 10 FT	20G
362T200-43	3 5/8" Track 10 FT	18G
362T200-54	3 5/8" Track 10 FT	16G
362T200-68	3 5/8" Track 10 FT	14G
362T200-97	3 5/8" Track 10 FT	12G

600T200-33	6" Track 10 FT	20G
600T200-43	6" Track 10 FT	18G
600T200-54	6" Track 10 FT	16G
600T200-68	6" Track 10 FT	14G
600T200-97	6" Track 10 FT	12G

800T200-33	8" Track 10 FT	20G
800T200-43	8" Track 10 FT	18G
800T200-54	8" Track 10 FT	16G
800T200-68	8" Track 10 FT	14G
800T200-97	8" Track 10 FT	12G

1000T200-43	10" Track 10 FT	18G
1000T200-54	10" Track 10 FT	16G
1000T200-68	10" Track 10 FT	14G
1000T200-97	10" Track 10 FT	12G

1200T200-54	12" Track 10 FT	16G
1200T200-68	12" Track 10 FT	14G
1200T200-97	12" Track 10 FT	12G

* Prices may vary. See store for details.
Prices based per linear foot.

* Prices may vary. See store for details.
Prices based per piece.

CALL NOW: 504.381.5790

YOUR CUSTOM METAL BUILDING PARTNER.



NON-STRUCTURAL STUDS & TRACKS

ORLEANS STEEL
BUILDING MATERIAL



162S125-18	1 5/8" Stud	25G
162S125-27	1 5/8" Stud	22G
162S125-30	1 5/8" Stud	20G

250S125-18	2 1/2" Stud	25G
250S125-27	2 1/2" Stud	22G
250S125-30	2 1/2" Stud	20G

362S125-18	3 5/8" Stud	25G
362S125-27	3 5/8" Stud	22G
362S125-30	3 5/8" Stud	20G

600S125-18	6" Stud	25G
600S125-27	6" Stud	22G
600S125-30	6" Stud	20G

162T125-18	1 5/8" Track 10 FT	25G
162T125-27	1 5/8" Track 10 FT	22G
162T125-30	1 5/8" Track 10 FT	20G

250T125-18	2 1/2" Track 10 FT	25G
250T125-27	2 1/2" Track 10 FT	22G
250T125-30	2 1/2" Track 10 FT	20G

362T125-18	3 5/8" Track 10 FT	25G
362T125-27	3 5/8" Track 10 FT	22G
362T125-30	3 5/8" Track 10 FT	20G


600T125-18	6" Track 10 FT	25G
600T125-27	6" Track 10 FT	22G
600T125-30	6" Track 10 FT	20G

* Prices may vary. See store for details.
Prices based per linear foot.

* Prices may vary. See store for details.
Prices based per piece.


CALL NOW: 504.381.5790

YOUR CUSTOM METAL BUILDING PARTNER.



Hat Channel
1 1/2 x 21' 18Ga

7/8 x 21' 18Ga



Cee Channel - 10'
1.5" x .5" 16G

Cee Channel - 16'
1.5" x .5" 16G

CALL NOW: 504.381.5790

YOUR CUSTOM METAL BUILDING PARTNER.



ORLEANS STEEL
BUILDING MATERIAL

RAW & GALVANIZED METAL



Sheet Metal - 48" x 96"
1/8

3/16

Gavanized Sheet Metal
16Ga



Diamond Plate
1/4



Angle Iron - 20'

1/8 1 x 1

1/8 1.5 x 1.5

1/8 2 x 2

1/4 1.5 x 1.5

1/4 2 x 2

1/4 3 x 3

3/8 4 x 4



Square Bar - Solid - 20'
.5 x .5



Flat Bar - Solid - 20'
1 x .25



11Ga Galvanized tubing - 20'

5/8 x 5/8

3/4 x 3/4

1 x 1

1.25 x 1.25

2 x 2

3 x 3

4 x 4

14Ga Galvanized tubing - 20'

1.5 x 1.5

2 x 2

2 1/4 x 2 1/4

2 1/2 x 2 1/2

3 x 3

16Ga Galvanized tubing - 20'

.5 x .5

1/4 Galvanized tubing - 20'

4 x 4

CALL NOW: 504.381.5790

YOUR CUSTOM METAL BUILDING PARTNER.



Rust Transform Paint

44 lbs

- * Transforms, converts and replaces existing rust with a dark protective barrier. Prevents future corrosion.
- * Forms a durable protective barrier. Locks out moisture from rain and snow. Protects iron and metal surfaces.
- * Non-toxic and fumeless. Paintable when fully cured.
- * Easy application with roller, brush or airless sprayer.
- * Covers 2000 sq ft



Flexible Slurry

44 lbs

- * Forms a continuous barrier with exceptional adhesion and reduces crack transmission for all surfaces.
- * Can be applied on Concrete, Wood, Stone, Tiles, Metal Aluminum, Interior/Exterior Cladding, and ICF Blocks
- * For interior, exterior, fully submerged in water and below grade applications.
- * Easy application with roller, brush or airless sprayer.
- * Covers 290 sq ft - double coat recommended.



Thermal Insulation

44 lbs

- * Thermal insulating coating is a liquid suitable for application to a surface, that dries or cures to simultaneously form a protective finish and provide resistance to heat flow.
- * Retains heat over twice as long as ordinary emulsion paint.
- * An airless sprayer is the best method for application of the coating.
- * Covers 430 sq ft

CALL NOW: 504.381.5790

YOUR CUSTOM METAL BUILDING PARTNER.

